

Calcium and Magnesium Supplying Materials

MATERIAL	% CALCIUM	% MAGNESIUM	TNP*
Aragonite	37-39	<0.5	
Basic slag Ca/MgCO ₃	29	4	60-90
Bone meal	23	0.4	60-70
Burned lime	60-70		150-175
Calcium limestone CaCO ₃	32	3	85-100
Chelates Ca/Mg EDTA	3-5	2-4	
Dolomite limestone Ca/MgCO ₃	22	11	95-108
Epsom salt MgSO ₄ .7H ₂ O		10	
Gypsum CaSO ₄ .2H ₂ O	23		
Hydrated lime Ca(OH) ₂	45-55		120-135
Kieserite MgSO ₄ H ₂ O		18	
Magnesium oxide MgO		55-60	240-260
Marl	35	0.5	90-100
Natural organic complexes	4-12	4-9	
Potassium Magnesium Sulfate K ₂ SO ₄ .2MgSO ₄		11	0
Wood ashes	23.3	2.2	
<i>*Total Neutralizing Power</i>			