

Rotenone	1.10%	VV/VV
Other Cube Extractives	2.20%	
Pyrethrins	0.80%	
OTHER INGREDIENTS	95.90%	

Contains Aromatic Petroleum Solvent EPA Est. No. 4-NY-1 EPA Reg. No. 4-315

KEEP OUT OF REACH OF CHILDREN WARNING (See Side Panel for Additional Precautionary Stateme





A combination of insecticides for easy mixing with water. Safe for use on the listed fruits, vegetables and ornamental plants. Also kills fire ants, lice, fleas and ticks.

Trusted since 1926 BONIDE PRODUCTS, INC.

Complete directions for use have been removed!

KEEP OUT OF REACH OF CHILDREN

Dispose of properly Buyers Guarantee limited to label claims

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

Questions, Concerns or Comments? Write to BONIDE PRODUCTS, INC. **Consumer Services** 6301 Sutliff Road Oriskany, NY 13424

LIQUID ROTENONE-PYRETHRINS SPRAY Concentrate

CONTROLS insect pests, such as aphids, leafhoppers, Japanese beetles, stink bugs, flea beetles...USE on apples, plums, peas, squash, cabbage, oak, elm, cedar, petunia, aster, geranium, marigold...MIX 1 to 4 tsp. per gallon of water. Mixture ratios vary. Read and use according to label directions. APPLY using a sprayer or watering can.

Store and transport in an upright position.

EPA Est. No. 4-NY-1 EPA Reg. No. 4-315

Buyers guarantee limited to label claims.

BONIDE PRODUCTS, INC. 6301 Sutliff Road Oriskany, NY 13424

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store and transport in an upright position. Store in a cool, dry area inaccessible to children or pets. DISPOSAL: If empty- Do not reuse this container. Place in trash or offer for recycling if available. If partially filled-Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns or grounds.

Page: One

Mix this product with water as directed to control the listed pests of ornamentals, vegetables, fruit and berries. Use a hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant.

FRUITS AND BERRIES

APPLE, PEAR, PEACH, PLUM, CHERRY, GRAPE, CURRANT, GOOSEBERRY, RASPBERRY, BLACKBERRY, STRAWBERRY, AND BLUEBERRY. For Aphids, Leafhoppers, Exposed Thrips mix 1 teaspoon with 1 gallon of water. For Imported Currant Worms, Gooseberry Fruit Worms, Raspberry Fruit Worms, Blueberry Maggots, Cherry Fruit Flies, Strawberry Root Worms (adult), Red-necked Borers, Japanese Beetles, and Mites mix 2 teaspoons with 1 gallon of water. For Strawberry Leafrollers and Rose Chafers mix 4 teaspoons with 1 gallon of water. Do not apply within one day of collection. Repeat every 5-10 days or as needed.

Page: Two

VEGETABLES

PEAS, BEAN, BEET, CUCUMBER, SQUASH, MUSKMEL-ON, POTATO, TOMATO, CABBAGE, SPINACH, LETTUCE, CELERY, ASPARAGUS, PEPPER, EGGPLANT, ONION, CARROT AND CORN. For Aphids, Leafhoppers, and Exposed Thrips mix 1 teaspoon with 1 gallon of water. For Cabbage Worms, Bean Beetles, Beet Webworms, Sod Webworms, Asparagus Beetles, Japanese Beetles, Lygus Bugs, Whiteflies, Garden Fleahoppers, Harlequin Bugs, Obliquebanded Leaf Rollers, Stink Bugs, Celery Leaftiers, Melon Worms, Tortoise Beetles, Garden Webworms, Alfalfa Webworms and Mites mix 2 teaspoons with 1 gal-Ion of water. For Colorado Potato Beetle, Cucumber Beetles, Flea Beetles, Vegetable Weevils, Squash Bugs (nymphs), Squash Vine Borers, European Corn Borers mix 4 teaspoons with 1 gallon of water. Do not apply within one day of harvest. Repeat every 5-10 days or as needed. European Corn Borers - 3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals.

Page: Three Page: Four

ORNAMENTALS

POPLAR, LINDEN, DOGWOOD, WILLOW, BIRCH, BOX-ELDER, MAPLE, OAK, ELM, PINE, SPRUCE, CEDAR, YEW, SPIREA, LILAC, ZINNIA, ASTER, PETUNIA, GERA-NIUM, DAHLIA, GLADIOLUS, PHLOX, SWEET PEA, MARIGOLD, CARNATION, CHRYSANTHEMUM AND ROSE. For Aphids, Leafhoppers, and Exposed Thrips mix 1 teaspoon with 1 gallon of water. For Oblique-banded Leaf Rollers, Sawfly larvae, Boxelder Bugs, Japanese Beetles, Elm Leaf Beetle larvae, Mites, Lygus Bugs, Lace Bugs, Greenhouse Whiteflies, Stink Bugs, Garden Fleahoppers, and Greenhouse Leaftiers mix 2 teaspoons with 1 gallon of water. For Cucumber Beetles, Rose Chafers, Ants, Aster Beetles, and Flea Beetles mix 4 teaspoons with 1 gallon of water. Do not apply within one day of harvest. Repeat every 5-10 days or as needed.

FIRE ANTS- For use in lawns, gardens, around buildings, agricultural land, golf courses, campgrounds, and recreational areas. Thoroughly mix 2-4 tablespoons in 2 gals. of

Page: Five

	FIRST AID
Have the produ	ict container or label with you when calling a poisor
control center of	or doctor, or going for treatment. You may also con-
tact 1-800-858	-7378 for emergency medical treatment information
If swallowed	Call poison control center or doctor immediately
	for treatment advice. Have person sip a glass o
	water if able to swallow. Do not induce vomiting
	unless told to do so by the poison control cente
	or doctor. Do not give anything by mouth to ar
	unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with
	water for 15-20 minutes. Remove contact lenses
	if present, after the first 5 minutes, then continue
	rinsing eye. Call a poison control center or docto
	for treatment advice.
If on skin	
or clothing	Take off contaminated clothing. Rinse skin
	immediately with plenty of water for 15-20
	minutes. Call a poison control center or doctor
	for treatment advice.

Page: Seven

water and saturate the mound and surrounding area to a 4 ft. diameter. Repeat in 7-10 days or as necessary. Treat new mounds as they appear. Application should be made as a gentle rain from a sprinkler can or using low pressure spray since pressurized sprays may disturb the ants causing migration and reducing product effectiveness.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

In case of an emergency, call 1-800-548-2423 (Animal Poison Control Center).

Recommendations for use of this product are based on tests believed to be reliable. The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Page: Six

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

Page: Eight